

Kurv 1500 Back To Wall Bath White

KUR1500BTW.WH



Width:	1500mm
Depth:	750mm
Height:	600mm
Weight:	39kg
Capacity:	210L
Brand:	Plumblinc
Material:	Acrylic
Installation:	Back To Wall
Waste Size:	40mm
Waste Included:	Yes
Overflow:	No
Warranty:	10 Years
Notes:	Includes chrome pop up waste




Scan to View
Product Online

Dimensions are approximate. Information provided on this data sheet is representative of the actual product available at the time of printing. Due to our policy of continuous product development, the designs and specifications depicted are subject to change without notice.

Warranty: Refer to plumblinc.co.nz/warranty-information for full details.

Kurv 1500 Back To Wall Bath White

KUR1500BTW.WH



Scan to View
Product Online

Dimensions are approximate. Information provided on this data sheet is representative of the actual product available at the time of printing. Due to our policy of continuous product development, the designs and specifications depicted are subject to change without notice.

Warranty: Refer to plumbline.co.nz/warranty-information for full details.

Kurv 1500 Back To Wall Bath White

KUR1500BTW.WH

BUILDING PRODUCT INFORMATION REQUIREMENTS (BPIR)

Manufacturer:	Plumblinc
Building Code Clauses:	B2 DURABILITY, B2.3.1, B2.3.1(c), F2 HAZARDOUS BUILDING MATERIALS, F2.3.1, F2.3.3, G1 PERSONAL HYGIENE, G1.3.2, G1.3.2(a), G1.3.2(f), G1.3.2(g), G1.3.4, G12 WATER SUPPLIES, G12.3.2, G12.3.2(a), G12.3.2(b), G12.3.2(c), G13 FOUL WATER, G13.3.1, G13.1(a), G13.1(b)
Compliance Evidence:	<p>B2 DURABILITY, B2.3.1, B2.3.1(c), This KUR1500BTW.WH has industry leading performance qualities, compliance as per verification method B2/VM1. Features, Benefits, Limitations of Use, Installation Instructions, Maintenance Instructions and Warranty Statement can be found under the product listings on our website.</p> <p>F2 HAZARDOUS BUILDING MATERIALS, F2.3.1, F2.3.3, Materials used for basins, baths and or bidets are made from durable moulded plastic and/or ceramics and is safe to use and do not pose any hazard to persons using these products.</p> <p>G1 PERSONAL HYGIENE, G1.3.2, G1.3.2(a), G1.3.2(f), G1.3.2(g), G1.3.4, Sanitary fixtures shall be located, constructed and installed to: facilitate sanitation, allow effective cleaning, discharge to a plumbing and drainage system as required by Clause G13 Foul Water when water-borne disposal is used, and personal hygiene facilities provided for people with disabilities shall be accessible.</p> <p>G12 WATER SUPPLIES, G12.3.2, G12.3.2(a), G12.3.2(b), G12.3.2(c), A potable water supply system must be: (a) protected from contamination; and (b) installed in a manner that avoids the likelihood of contamination within the system and the water main; and (c) installed using components that will not contaminate the water.</p> <p>G13 FOUL WATER, G13.3.1, G13.1(a), G13.1(b), Backflow prevention is required. A plumber must install / ensure backflow prevention (backflow device might/might not be supplied with the product). Normally this will detail an air gap as a backflow prevention mechanism. The KUR1500BTW.WH is a sanitary fixture constructed and designed to be installed to discharge to a plumbing and drainage system as required by G13 Foul Water when water-borne disposal is used.</p>
Conditions Use:	For use in residential and commercial applications. Must be installed by a registered plumber or suitably qualified tradesperson and as per the installation instructions.
Version no.:	2.0
Subject to a Warning:	No



Scan to View
Product Online

This statement is provided under the Building (Building Product Information Requirements) Regulations 2022. It describes the product supplied at the time of publication; where a product is modified or installed outside the stated conditions of use, the information above may no longer apply. For technical support or the current version of this statement, contact Plumblinc.

Kurv 1500 Back To Wall Bath Matt White

KUR1500BTW.MW



Width:	1500mm
Depth:	750mm
Height:	600mm
Weight:	39kg
Capacity:	210L
Brand:	Plumbline
Material:	Acrylic
Installation:	Back To Wall
Waste Size:	40mm
Waste Included:	Yes
Overflow:	No
Warranty:	10 Years
Notes:	Includes chrome pop up waste




Scan to View
Product Online

Dimensions are approximate. Information provided on this data sheet is representative of the actual product available at the time of printing. Due to our policy of continuous product development, the designs and specifications depicted are subject to change without notice.

Warranty: Refer to plumbline.co.nz/warranty-information for full details.

Kurv 1500 Back To Wall Bath Matt White

KUR1500BTW.MW



Scan to View
Product Online

Dimensions are approximate. Information provided on this data sheet is representative of the actual product available at the time of printing. Due to our policy of continuous product development, the designs and specifications depicted are subject to change without notice.

Warranty: Refer to plumbline.co.nz/warranty-information for full details.

Kurv 1500 Back To Wall Bath Matt White

KUR1500BTW.MW

BUILDING PRODUCT INFORMATION REQUIREMENTS (BPIR)

Manufacturer:	Plumblinc
Building Code Clauses:	B2 DURABILITY, B2.3.1, B2.3.1(c), F2 HAZARDOUS BUILDING MATERIALS, F2.3.1, F2.3.3, G1 PERSONAL HYGIENE, G1.3.2, G1.3.2(a), G1.3.2(f), G1.3.2(g), G1.3.4, G12 WATER SUPPLIES, G12.3.2, G12.3.2(a), G12.3.2(b), G12.3.2(c), G13 FOUL WATER, G13.3.1, G13.1(a), G13.1(b)
Compliance Evidence:	<p>B2 DURABILITY, B2.3.1, B2.3.1(c), This KUR1500BTW.MW has industry leading performance qualities, compliance as per verification method B2/VM1. Features, Benefits, Limitations of Use, Installation Instructions, Maintenance Instructions and Warranty Statement can be found under the product listings on our website.</p> <p>F2 HAZARDOUS BUILDING MATERIALS, F2.3.1, F2.3.3, Materials used for basins, baths and or bidets are made from durable moulded plastic and/or ceramics and is safe to use and do not pose any hazard to persons using these products.</p> <p>G1 PERSONAL HYGIENE, G1.3.2, G1.3.2(a), G1.3.2(f), G1.3.2(g), G1.3.4, Sanitary fixtures shall be located, constructed and installed to: facilitate sanitation, allow effective cleaning, discharge to a plumbing and drainage system as required by Clause G13 Foul Water when water-borne disposal is used, and personal hygiene facilities provided for people with disabilities shall be accessible.</p> <p>G12 WATER SUPPLIES, G12.3.2, G12.3.2(a), G12.3.2(b), G12.3.2(c), A potable water supply system must be: (a) protected from contamination; and (b) installed in a manner that avoids the likelihood of contamination within the system and the water main; and (c) installed using components that will not contaminate the water.</p> <p>G13 FOUL WATER, G13.3.1, G13.1(a), G13.1(b), Backflow prevention is required. A plumber must install / ensure backflow prevention (backflow device might/might not be supplied with the product). Normally this will detail an air gap as a backflow prevention mechanism. The KUR1500BTW.MW is a sanitary fixture constructed and designed to be installed to discharge to a plumbing and drainage system as required by G13 Foul Water when water-borne disposal is used.</p>
Conditions Use:	For use in residential and commercial applications. Must be installed by a registered plumber or suitably qualified tradesperson and as per the installation instructions.
Version no.:	2.0
Subject to a Warning:	No



Scan to View
Product Online

This statement is provided under the Building (Building Product Information Requirements) Regulations 2022. It describes the product supplied at the time of publication; where a product is modified or installed outside the stated conditions of use, the information above may no longer apply. For technical support or the current version of this statement, contact Plumblinc.

Kurv 1600 Back To Wall Bath White

KUR1600BTW.WH



Width:	1600mm
Depth:	775mm
Height:	600mm
Weight:	41kg
Capacity:	210L
Brand:	Plumblinc
Material:	Acrylic
Installation:	Back To Wall
Waste Size:	40mm
Waste Included:	Yes
Overflow:	No
Warranty:	10 Years
Notes:	Includes chrome pop up waste




Scan to View
Product Online

Dimensions are approximate. Information provided on this data sheet is representative of the actual product available at the time of printing. Due to our policy of continuous product development, the designs and specifications depicted are subject to change without notice.

Warranty: Refer to plumblinc.co.nz/warranty-information for full details.

Kurv 1600 Back To Wall Bath White

KUR1600BTW.WH



Scan to View
Product Online

Dimensions are approximate. Information provided on this data sheet is representative of the actual product available at the time of printing. Due to our policy of continuous product development, the designs and specifications depicted are subject to change without notice.

Warranty: Refer to plumbline.co.nz/warranty-information for full details.

Kurv 1600 Back To Wall Bath White

KUR1600BTW.WH

BUILDING PRODUCT INFORMATION REQUIREMENTS (BPIR)

Manufacturer:	Plumblinc
Building Code Clauses:	B2 DURABILITY, B2.3.1, B2.3.1(c), F2 HAZARDOUS BUILDING MATERIALS, F2.3.1, F2.3.3, G1 PERSONAL HYGIENE, G1.3.2, G1.3.2(a), G1.3.2(f), G1.3.2(g), G1.3.4, G12 WATER SUPPLIES, G12.3.2, G12.3.2(a), G12.3.2(b), G12.3.2(c), G13 FOUL WATER, G13.3.1, G13.1(a), G13.1(b)
Compliance Evidence:	<p>B2 DURABILITY, B2.3.1, B2.3.1(c), This KUR1600BTW.WH has industry leading performance qualities, compliance as per verification method B2/VM1. Features, Benefits, Limitations of Use, Installation Instructions, Maintenance Instructions and Warranty Statement can be found under the product listings on our website.</p> <p>F2 HAZARDOUS BUILDING MATERIALS, F2.3.1, F2.3.3, Materials used for basins, baths and or bidets are made from durable moulded plastic and/or ceramics and is safe to use and do not pose any hazard to persons using these products.</p> <p>G1 PERSONAL HYGIENE, G1.3.2, G1.3.2(a), G1.3.2(f), G1.3.2(g), G1.3.4, Sanitary fixtures shall be located, constructed and installed to: facilitate sanitation, allow effective cleaning, discharge to a plumbing and drainage system as required by Clause G13 Foul Water when water-borne disposal is used, and personal hygiene facilities provided for people with disabilities shall be accessible.</p> <p>G12 WATER SUPPLIES, G12.3.2, G12.3.2(a), G12.3.2(b), G12.3.2(c), A potable water supply system must be: (a) protected from contamination; and (b) installed in a manner that avoids the likelihood of contamination within the system and the water main; and (c) installed using components that will not contaminate the water.</p> <p>G13 FOUL WATER, G13.3.1, G13.1(a), G13.1(b), Backflow prevention is required. A plumber must install / ensure backflow prevention (backflow device might/might not be supplied with the product). Normally this will detail an air gap as a backflow prevention mechanism. The KUR1600BTW.WH is a sanitary fixture constructed and designed to be installed to discharge to a plumbing and drainage system as required by G13 Foul Water when water-borne disposal is used.</p>
Conditions Use:	For use in residential and commercial applications. Must be installed by a registered plumber or suitably qualified tradesperson and as per the installation instructions.
Version no.:	2.0
Subject to a Warning:	No



Scan to View
Product Online

This statement is provided under the Building (Building Product Information Requirements) Regulations 2022. It describes the product supplied at the time of publication; where a product is modified or installed outside the stated conditions of use, the information above may no longer apply. For technical support or the current version of this statement, contact Plumblinc.

Kurv 1600 Back To Wall Bath Matt White

KUR1600BTW.MW



Width:	1600mm
Depth:	775mm
Height:	600mm
Weight:	41kg
Capacity:	210L
Brand:	Plumblinc
Material:	Acrylic
Installation:	Back To Wall
Waste Size:	40mm
Waste Included:	Yes
Overflow:	No
Warranty:	10 Years
Notes:	Includes chrome pop up waste




Scan to View
Product Online

Dimensions are approximate. Information provided on this data sheet is representative of the actual product available at the time of printing. Due to our policy of continuous product development, the designs and specifications depicted are subject to change without notice.

Warranty: Refer to plumblinc.co.nz/warranty-information for full details.

Kurv 1600 Back To Wall Bath Matt White

KUR1600BTW.MW



Scan to View
Product Online

Dimensions are approximate. Information provided on this data sheet is representative of the actual product available at the time of printing. Due to our policy of continuous product development, the designs and specifications depicted are subject to change without notice.

Warranty: Refer to plumbline.co.nz/warranty-information for full details.

Kurv 1600 Back To Wall Bath Matt White

KUR1600BTW.MW

BUILDING PRODUCT INFORMATION REQUIREMENTS (BPIR)

Manufacturer:	Plumblinc
Building Code Clauses:	B2 DURABILITY, B2.3.1, B2.3.1(c), F2 HAZARDOUS BUILDING MATERIALS, F2.3.1, F2.3.3, G1 PERSONAL HYGIENE, G1.3.2, G1.3.2(a), G1.3.2(f), G1.3.2(g), G1.3.4, G12 WATER SUPPLIES, G12.3.2, G12.3.2(a), G12.3.2(b), G12.3.2(c), G13 FOUL WATER, G13.3.1, G13.1(a), G13.1(b)
Compliance Evidence:	<p>B2 DURABILITY, B2.3.1, B2.3.1(c), This KUR1600BTW.MW has industry leading performance qualities, compliance as per verification method B2/VM1. Features, Benefits, Limitations of Use, Installation Instructions, Maintenance Instructions and Warranty Statement can be found under the product listings on our website.</p> <p>F2 HAZARDOUS BUILDING MATERIALS, F2.3.1, F2.3.3, Materials used for basins, baths and or bidets are made from durable moulded plastic and/or ceramics and is safe to use and do not pose any hazard to persons using these products.</p> <p>G1 PERSONAL HYGIENE, G1.3.2, G1.3.2(a), G1.3.2(f), G1.3.2(g), G1.3.4, Sanitary fixtures shall be located, constructed and installed to: facilitate sanitation, allow effective cleaning, discharge to a plumbing and drainage system as required by Clause G13 Foul Water when water-borne disposal is used, and personal hygiene facilities provided for people with disabilities shall be accessible.</p> <p>G12 WATER SUPPLIES, G12.3.2, G12.3.2(a), G12.3.2(b), G12.3.2(c), A potable water supply system must be: (a) protected from contamination; and (b) installed in a manner that avoids the likelihood of contamination within the system and the water main; and (c) installed using components that will not contaminate the water.</p> <p>G13 FOUL WATER, G13.3.1, G13.1(a), G13.1(b), Backflow prevention is required. A plumber must install / ensure backflow prevention (backflow device might/might not be supplied with the product). Normally this will detail an air gap as a backflow prevention mechanism. The KUR1600BTW.MW is a sanitary fixture constructed and designed to be installed to discharge to a plumbing and drainage system as required by G13 Foul Water when water-borne disposal is used.</p>
Conditions Use:	For use in residential and commercial applications. Must be installed by a registered plumber or suitably qualified tradesperson and as per the installation instructions.
Version no.:	2.0
Subject to a Warning:	No



Scan to View
Product Online

This statement is provided under the Building (Building Product Information Requirements) Regulations 2022. It describes the product supplied at the time of publication; where a product is modified or installed outside the stated conditions of use, the information above may no longer apply. For technical support or the current version of this statement, contact Plumblinc.

Kurv 1700 Back To Wall Bath White

KUR1700BTW.WH



Width:	1700mm
Depth:	800mm
Height:	600mm
Weight:	43kg
Capacity:	220L
Brand:	Plumblinc
Material:	Acrylic
Installation:	Back To Wall
Waste Size:	40mm
Waste Included:	Yes
Overflow:	No
Warranty:	10 Years
Notes:	Includes chrome pop up waste




Scan to View
Product Online

Dimensions are approximate. Information provided on this data sheet is representative of the actual product available at the time of printing. Due to our policy of continuous product development, the designs and specifications depicted are subject to change without notice.

Warranty: Refer to plumblinc.co.nz/warranty-information for full details.

Kurv 1700 Back To Wall Bath White

KUR1700BTW.WH



Scan to View
Product Online

Dimensions are approximate. Information provided on this data sheet is representative of the actual product available at the time of printing. Due to our policy of continuous product development, the designs and specifications depicted are subject to change without notice.

Warranty: Refer to plumbline.co.nz/warranty-information for full details.

Kurv 1700 Back To Wall Bath White

KUR1700BTW.WH

BUILDING PRODUCT INFORMATION REQUIREMENTS (BPIR)

Manufacturer:	Plumblinc
Building Code Clauses:	B2 DURABILITY, B2.3.1, B2.3.1(c), F2 HAZARDOUS BUILDING MATERIALS, F2.3.1, F2.3.3, G1 PERSONAL HYGIENE, G1.3.2, G1.3.2(a), G1.3.2(f), G1.3.2(g), G1.3.4, G12 WATER SUPPLIES, G12.3.2, G12.3.2(a), G12.3.2(b), G12.3.2(c), G13 FOUL WATER, G13.3.1, G13.1(a), G13.1(b)
Compliance Evidence:	<p>B2 DURABILITY, B2.3.1, B2.3.1(c), This KUR1700BTW.WH has industry leading performance qualities, compliance as per verification method B2/VM1. Features, Benefits, Limitations of Use, Installation Instructions, Maintenance Instructions and Warranty Statement can be found under the product listings on our website.</p> <p>F2 HAZARDOUS BUILDING MATERIALS, F2.3.1, F2.3.3, Materials used for basins, baths and or bidets are made from durable moulded plastic and/or ceramics and is safe to use and do not pose any hazard to persons using these products.</p> <p>G1 PERSONAL HYGIENE, G1.3.2, G1.3.2(a), G1.3.2(f), G1.3.2(g), G1.3.4, Sanitary fixtures shall be located, constructed and installed to: facilitate sanitation, allow effective cleaning, discharge to a plumbing and drainage system as required by Clause G13 Foul Water when water-borne disposal is used, and personal hygiene facilities provided for people with disabilities shall be accessible.</p> <p>G12 WATER SUPPLIES, G12.3.2, G12.3.2(a), G12.3.2(b), G12.3.2(c), A potable water supply system must be: (a) protected from contamination; and (b) installed in a manner that avoids the likelihood of contamination within the system and the water main; and (c) installed using components that will not contaminate the water.</p> <p>G13 FOUL WATER, G13.3.1, G13.1(a), G13.1(b), Backflow prevention is required. A plumber must install / ensure backflow prevention (backflow device might/might not be supplied with the product). Normally this will detail an air gap as a backflow prevention mechanism. The KUR1700BTW.WH is a sanitary fixture constructed and designed to be installed to discharge to a plumbing and drainage system as required by G13 Foul Water when water-borne disposal is used.</p>
Conditions Use:	For use in residential and commercial applications. Must be installed by a registered plumber or suitably qualified tradesperson and as per the installation instructions.
Version no.:	2.0
Subject to a Warning:	No



Scan to View
Product Online

This statement is provided under the Building (Building Product Information Requirements) Regulations 2022. It describes the product supplied at the time of publication; where a product is modified or installed outside the stated conditions of use, the information above may no longer apply. For technical support or the current version of this statement, contact Plumblinc.

Kurv 1700 Back To Wall Bath Matt White

KUR1700BTW.MW



Width:	1700mm
Depth:	800mm
Height:	600mm
Weight:	43kg
Capacity:	220L
Brand:	Plumblinc
Material:	Acrylic
Installation:	Back To Wall
Waste Size:	40mm
Waste Included:	Yes
Overflow:	No
Warranty:	10 Years
Notes:	Includes chrome pop up waste




Scan to View
Product Online

Dimensions are approximate. Information provided on this data sheet is representative of the actual product available at the time of printing. Due to our policy of continuous product development, the designs and specifications depicted are subject to change without notice.

Warranty: Refer to plumblinc.co.nz/warranty-information for full details.

Kurv 1700 Back To Wall Bath Matt White

KUR1700BTW.MW



Scan to View
Product Online

Dimensions are approximate. Information provided on this data sheet is representative of the actual product available at the time of printing. Due to our policy of continuous product development, the designs and specifications depicted are subject to change without notice.

Warranty: Refer to plumbline.co.nz/warranty-information for full details.

Kurv 1700 Back To Wall Bath Matt White

KUR1700BTW.MW

BUILDING PRODUCT INFORMATION REQUIREMENTS (BPIR)

Manufacturer:	Plumblinc
Building Code Clauses:	B2 DURABILITY, B2.3.1, B2.3.1(c), F2 HAZARDOUS BUILDING MATERIALS, F2.3.1, F2.3.3, G1 PERSONAL HYGIENE, G1.3.2, G1.3.2(a), G1.3.2(f), G1.3.2(g), G1.3.4, G12 WATER SUPPLIES, G12.3.2, G12.3.2(a), G12.3.2(b), G12.3.2(c), G13 FOUL WATER, G13.3.1, G13.1(a), G13.1(b)
Compliance Evidence:	<p>B2 DURABILITY, B2.3.1, B2.3.1(c), This KUR1700BTW.MW has industry leading performance qualities, compliance as per verification method B2/VM1. Features, Benefits, Limitations of Use, Installation Instructions, Maintenance Instructions and Warranty Statement can be found under the product listings on our website.</p> <p>F2 HAZARDOUS BUILDING MATERIALS, F2.3.1, F2.3.3, Materials used for basins, baths and or bidets are made from durable moulded plastic and/or ceramics and is safe to use and do not pose any hazard to persons using these products.</p> <p>G1 PERSONAL HYGIENE, G1.3.2, G1.3.2(a), G1.3.2(f), G1.3.2(g), G1.3.4, Sanitary fixtures shall be located, constructed and installed to: facilitate sanitation, allow effective cleaning, discharge to a plumbing and drainage system as required by Clause G13 Foul Water when water-borne disposal is used, and personal hygiene facilities provided for people with disabilities shall be accessible.</p> <p>G12 WATER SUPPLIES, G12.3.2, G12.3.2(a), G12.3.2(b), G12.3.2(c), A potable water supply system must be: (a) protected from contamination; and (b) installed in a manner that avoids the likelihood of contamination within the system and the water main; and (c) installed using components that will not contaminate the water.</p> <p>G13 FOUL WATER, G13.3.1, G13.1(a), G13.1(b), Backflow prevention is required. A plumber must install / ensure backflow prevention (backflow device might/might not be supplied with the product). Normally this will detail an air gap as a backflow prevention mechanism. The KUR1700BTW.MW is a sanitary fixture constructed and designed to be installed to discharge to a plumbing and drainage system as required by G13 Foul Water when water-borne disposal is used.</p>
Conditions Use:	For use in residential and commercial applications. Must be installed by a registered plumber or suitably qualified tradesperson and as per the installation instructions.
Version no.:	2.0
Subject to a Warning:	No



Scan to View
Product Online

This statement is provided under the Building (Building Product Information Requirements) Regulations 2022. It describes the product supplied at the time of publication; where a product is modified or installed outside the stated conditions of use, the information above may no longer apply. For technical support or the current version of this statement, contact Plumblinc.