



PLUMBLINE

PRODUCT SPECIFICATION SHEET

www.plumbline.com

Arena 3 Hole Basin Mixer

3318TC.56




Height:	150mm
Spout Reach:	170mm
Brand:	Nicolazzi
Origin:	Italy
Material:	Brass
Installation:	Bench Mount
WELS Rating:	4 Star
Cartridge:	C7075 (Right Hand) C7075SX (Left Hand)
Warranty:	15 Years



Scan to View
Product Online

Dimensions are approximate. Information provided on this data sheet is representative of the actual product available at the time of printing. Due to our policy of continuous product development, the designs and specifications depicted are subject to change without notice.

Warranty: Refer to plumbline.co.nz/warranty-information for full details.



Scan to View
Product Online

Dimensions are approximate. Information provided on this data sheet is representative of the actual product available at the time of printing. Due to our policy of continuous product development, the designs and specifications depicted are subject to change without notice.

Warranty: Refer to plumbline.co.nz/warranty-information for full details.

Arena 3 Hole Basin Mixer

3318TC.56

BUILDING PRODUCT INFORMATION REQUIREMENTS (BPIR)

Manufacturer:	Nicolazzi
Building Code Clauses:	B2 (Durability), B2.3.1, F2 (Hazardous Building Materials), F2.3.1, G12 (Water Supplies) G12.3.2 Applies to kitchen and basin products, G12.3.5, G12.3.7, G12.3.10
Compliance Evidence:	B2 (Durability), B2.3.1, The 3318TC.56 has an in-service history of 6 years plus, and has industry leading performance qualities, compliance as per verification method B2/VM1. Features, benefits, Limitations of use, Installation Instructions, Maintenance Instructions and Warranty Statement can be found under the product listings on our website. F2 (Hazardous Building Materials), F2.3.1, Plumblin tapware do not contaminate water. All Plumblin tapware in contact with drinking water are also lead-free certified. G12 (Water Supplies) G12.3.2 Applies to kitchen and basin products, G12.3.5, G12.3.7, G12.3.10. All Plumblin tapware and drainwaste products are designed, manufactured and inspected/tested, are subject to flow rates testing that is within the limitation set by the AS/NZS 3500 (NZBC) and the WELS regulations. Where backflow prevention is required, these are supplied with Plumblin products. Features, benefits, Limitations of use, Installation Instructions, Maintenance Instructions and Warranty Statement can be found under the product listings on our website.
Conditions Use:	For use in Residential and Commercial applications. Must be installed by a Registered Plumber, and as per the installation instructions.
Version no.:	2.0
Subject to a Warning:	No



Scan to View
Product Online

This statement is provided under the Building (Building Product Information Requirements) Regulations 2022. It describes the product supplied at the time of publication; where a product is modified or installed outside the stated conditions of use, the information above may no longer apply. For technical support or the current version of this statement, contact Plumblin.

AUCKLAND SHOWROOM

23 Davis Crescent, Newmarket

T 09 526 0136 | E auckland@plumblin.co.nz

WELLINGTON SHOWROOM & HEAD OFFICE

1 Antilles Place, Grenada Village

T 0800 499 411 | E sales@plumblin.co.nz

www.plumblin.co.nz

MELBOURNE SHOWROOM

597 Church St, Richmond VIC

T +61 1300 499 411 | E hello@plumblin.au

www.plumblin.au

PLUMBLINE

ARCHITECTURAL BATHWARE